



Applicants:

Parruck, et al.

Assignee:

**Azanda Network Devices** 

Title:

"Multiservice Network Processing Device"

Serial No.:

09/779,381

Filed:

February 7, 2001

Examiner:

Unknown

Phone:

Unknown

Docket No.:

AZA-001/2001-P001

Art Unit:

2816

Office of Initial Patent Examination's Customer Service Center

May 30, 2001

Washington, D.C. 20231

## RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application Papers dated April 4, 2001, Applicants submit the attached substitute specification, claims and abstract. The attached substitute specification, claims and abstract contain no new matter. The line spacing was changed to 1-1/2" on the specification, claims and abstract to be in compliance with 37 CFR 1.52.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Office of Initial Patent Examination's Customer Service Center, Assistant Commissioner for Patents, Washington, D.C. 20231, on May 30,

\_

ite

Laurie Moreno

Respectfully submitted,

T. Lester Wallace Attorney for Applicants

Reg. No. 34,748





Page 1 of 1

## United States Patent and Trademark Office

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231 www.usp.o.gov

FIRST NAMED APPLICANT APPLICATION NUMBER FILING/RECEIPT DATE ATTORNEY DOCKET NUMBER

09/779,381

02/07/2001

**Bidyut Parruck** 

AZA-001/2001-P001

**CONFIRMATION NO. 8000 FORMALITIES LETTER** 

\*OC000000005935984\*

T. Lester Wallace Patent Attorney Suite 280 7041 Koll Center Parkway Pleasanton, CA 94566

Date Mailed: 04/04/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE